

**This Page Is Inserted by IFW Operations
and is not a part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- **BLACK BORDERS**
- **TEXT CUT OFF AT TOP, BOTTOM OR SIDES**
- **FADED TEXT**
- **ILLEGIBLE TEXT**
- **SKEWED/SLANTED IMAGES**
- **COLORED PHOTOS**
- **BLACK OR VERY BLACK AND WHITE DARK PHOTOS**
- **GRAY SCALE DOCUMENTS**

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

THIS PAGE BLANK (USPTO)

THIS PAGE BLANK (USPTO)



Canadian Patent

Brevet canadien

1278141

To all to whom these presents shall come:

Whereas a petition has been presented to the Commissioner of Patents praying for the grant of a patent for a new and useful invention, the title and description of which are contained in the specification of which a copy is hereunto attached and made an essential part hereof, and the requirements of the Patent Act having been complied with,

Now therefore the present patent grants to the applicant whose title thereto appears from the records of the Patent Office and as indicated in the said copy of the specification attached hereto, and to the legal representatives of said applicant for a period of seventeen years from the date of these presents the exclusive right, privilege and liberty of making, constructing, using and vending to the others in Canada the invention, subject to adjudication in respect thereof before any court of competent jurisdiction.

Provided that the grant hereby made is subject to the conditions contained in the Act aforesaid.

All patents are subject to annual maintenance fees subsequent to the modified Patent Act.

In testimony whereof, these letters patent bear the signature of the Commissioner and the seal of the Patent Office hereunto affixed at Hull, Canada.

This Patent was issued on:

A tous ceux qui les présentes verront:

Considérant qu'une requête a été présentée au Commissaire des brevets, demandant la délivrance d'un brevet pour une invention nouvelle et utile, dont le titre et la description apparaissent dans le mémoire descriptif dont copie est annexée aux présentes et en fait partie essentielle, et que ladite requête satisfait aux exigences de la Loi sur les brevets.

A ces causes, le présent brevet confère au demandeur dont le titre de propriété audit brevet est établi d'après les dossiers du Bureau des brevets et est indiqué dans ladite copie du mémoire descriptif ci-annexé, et aux représentants légaux du dit demandeur, pour une période de dix-sept ans, à compter de la date des présentes, le droit, la faculté et le privilège exclusif de fabriquer, construire, exploiter et vendre à d'autres au Canada l'invention, sauf jugement en l'espèce par un tribunal de juridiction compétente.


La concession faite par les présentes étant soumise aux conditions contenues dans la loi précitée.

Des frais annuels de maintien seront applicables pour tout brevet octroyé subséquemment à la Loi modifiant la Loi sur les brevets.

En foi de quoi ces lettres patentes portent la signature du Commissaire ainsi que le sceau du Bureau des brevets apposé à Hull, Canada.

Ce Brevet a été délivré le:

Date DEC 18 1990



Canada

Commissioner of Patents - Commissaire des brevets

Attesting Officer - Certificateur



Consommation
et Corporations Canada

Consumer and
Corporate Affairs Canada

Bureau des brevets

Patent Office

Ottawa, Canada
K1A 0C9

(11) (C) 1,278,141
(21) 549,405
(22) 1987/10/15
(45) 1990/12/18
(52) 402-306

(51) INTL.CL. ⁵ C08G-67/04

(19) (CA) **CANADIAN PATENT** (12)

(54) Preparation of Anhydride Copolymers

(72) Domb, Abraham J. , U.S.A.
Langer, Robert S. , U.S.A.

(73) Massachusetts Institute of Technology , U.S.A.

(30) (US) U.S.A. 920,724 1986/10/17

(57) 6 Claims

Canada

547705

PREPARATION OF ANHYDRIDE COPOLYMERS

Abstract of the Invention

A method for preparation of very pure anhydride copolymers with high yield. The anhydride copolymers, consisting of aromatic and aliphatic diacids are formed by melt condensation of individually prepared, pure, isolated prepolymers. The method of preparation is characterized by high yield, reproducibility, polymer purity and controlled composition, and is a short and convenient procedure. The polyanhydrides produced by the disclosed method are particularly well suited to biomedical applications requiring low levels of toxic or inflammatory contaminants and physical and mechanical properties which closely conform to manufacturing specifications.

1278141



Background of the Invention

The present invention is in the area of organic synthesis and, in particular, methods of synthesizing high purity anhydride copolymers.

The United States Government has rights in this invention by virtue of National Institute of Health Grant No. 98000.

Aromatic polyanhydrides were first synthesized in 1909 by Bucher and Slade, as reported in J. Am. Chem. Soc. 31, 1319 (1909). Aliphatic polyanhydrides were first prepared in 1932 by Hill and Carothers, as described in J. Am. Chem. Soc. 54, 1569 (1932) and 55, 5023 (1933). A number of aromatic and heterocyclic polyanhydrides, intended as substitutes for polyesters in textile applications, were further investigated over the next thirty years.

Only a few papers have been published on the preparation of anhydride copolymers. In these studies anhydride copolymers were produced by mixing a calculated amount of two diacids, e.g., aromatic and aliphatic diacids, and treating with acetic anhydride to yield the mixed prepolymer. The mixed prepolymer was then polymerized by heating under vacuum. The reaction is shown in equation 1. The mixed prepolymer was not isolated nor purified prior to polymerization.



(1)

Q ≠ R ≠ X ≠ Y

n = degree of polymerization

* undefined composition of prepolymer

Using this method of preparation, N. Yoda et al. prepared anhydride copolymers composed of terephthalic acid, sebacic acid, adipic acid and five membered heterocyclic diacids, as described in Makromol. Chem. 56, 32 (1962), and Bull. Chem. Soc. Japan 32. Another anhydride copolymer composed of methylene bis(p-carboxyphenyl)amide and adipic acid was reported by N. Yoda in Chem. High Polymers Japan 19, 613 (1962). Unpurified mixed prepolymers were used in all these studies.

In a recent study by Leong et al., reported in J. Biomed. Mat. Res., 19, 941 (1985), anhydride copolymers composed of bis(p-carboxyphenoxy)propane and sebacic acid were prepared. The copolymers were prepared from the mixed prepolymers obtained when the calculated amount of CPP and sebacic acid were treated with acetic anhydride. The mixed prepolymer was isolated after

several weeks of crystallization at -20°C . The composition of the final polymer was not controlled. Polymerization of the mixed prepolymers yielded polymers with molecular weights of 12,030. Unsuccessful attempts were made to obtain the copolymers by polycondensing the mixture of individually prepared prepolymers, especially sebacic acid prepolymers.

It is therefore an object of the present invention to provide a method for preparation of highly pure anhydride copolymers having a controlled composition, especially for use in biomedical applications.

It is a further object of the present invention to provide a method for preparation of highly pure anhydride copolymers with controlled composition which is reproducible, has a high yield and is quick.

It is still a further object of the present invention to provide a method for preparation of highly pure anhydride copolymers wherein prepolymers of the diacids are produced which can be combined to yield a wide variety of copolymers having an actual composition which is close to the calculated composition.

It is another object of the invention to provide a method for preparation of highly pure anhydride copolymers for use in preparing high molecular weight polyanhydrides.

SUMMARY OF THE INVENTION

According to a first aspect of the invention

A

there is provided a method for preparing highly pure anhydride copolymers comprising: selecting at least two diacids, wherein said diacids are synthesized and purified individually, reacting the individual diacids and acetic anhydride separately to form prepolymers, separately recrystallizing the individual prepolymers formed by the reaction of the acetic anhydride with said diacids, combining said individual prepolymers at a specific ratio, and polymerizing said prepolymer mixture to form copolymers.

According to a second aspect of the invention there is provided a highly pure anhydride copolymer comprising monomers selected from the group consisting of aliphatic and aromatic diacids, wherein the copolymers are polymerized from a mixture of a specific ratio of prepolymers of the individual monomers separately reacted with acetic anhydride.

The invention is a method of synthesis of highly pure

A

anhydride copolymers of known composition wherein the key element is the use of individually prepared, pure prepolymers. Calculated amounts of the individual prepolymers, e.g. aromatic and aliphatic prepolymers, are mixed together and polymerized to form copolymers. High molecular weight polyanhydrides are produced by polymerization of the prepolymers at a temperature between 150°C and 220°C for 10 to 240 minutes, preferably 180°C for 90 minutes, under high vacuum.

Examples of anhydride copolymers composed of the following diacids: sebacic acid, bis(p-carboxyphenoxy)propane, adipic acid, bis(p-carboxyphenoxy)hexane, isophthalic acid, 1,4 phenylene dipropionic acid and dodecanedioic acid, are polymerized from pure isolated prepolymers by a melt polycondensation process.

Polyanhydrides prepared from the very pure, isolated prepolymers are especially useful for biomedical applications because of the agreement between calculated and actual composition, reproducible molecular weights and degradation kinetics, lack of inflammatory or toxic contaminants, and mechanical properties such as film formation. Higher molecular weights can be generated by the addition of coordination catalysts to the copolymer mixture.

Brief Description of the Drawings

Fig. 1 is the synthesis of a pure anhydride copolymer according to the present invention.

Fig. 2 is the synthesis of a anhydride copolymer according to the prior art.

Detailed Description of the Invention

Anhydride copolymers are synthesized by melt condensation from a mixture of individually synthesized and purified mixed anhydride prepolymers prepared by heating diacids and acetic anhydride as shown in Fig. 1. The prior art method of synthesis is shown in Fig. 2 wherein the diacids are first mixed together, then refluxed with acetic anhydride to form the prepolymers.

The method according to the present invention is used in the following non-limiting examples to synthesize anhydride prepolymers which can then be combined and polymerized to form anhydride copolymers with controlled composition. Individually prepared, pure, isolated prepolymers are made and purified within two work days with 50 to 80% yield. Calculated amounts of the prepolymers, such as CPP prepolymers and sebacic acid prepolymers, are then mixed together and polymerized, for example, at 180°C for 90 minutes under high vacuum.

The prepolymer data analysis is summarized in Table 1. The data for the copolymers prepared from these prepolymers is summarized in Table 2. High molecular weight anhydride copolymers with high reproducibility in polymer composition and molecular weight are obtained.

Table 1: Characterization of Prepolymers

Prepolymer of:	Mp	GPC Analysis ^a			NMR Analysis ^b		IR ^c
		Mw	Mn	Dp ^a	Dp		
Sebacic acid	67-69	1620	825	3.9	5 (2.22:1.32) ^d		1810,1740
Dodecanedioic acid	76-77	2410	1250	4.7	9 (2.22:1.27) ^d		1810,1740
Adipic acid	62-63	1765	694	4.0	6 (2.23:1.74) ^d		1810,1740
1,4 Phenylene dipropionic acid	74-75	1985	915	4.0	5 (2.18:7.11) ^d		1800,1735
Bis(p-Carboxy-phenoxy) propane	104-106	495	484	1.3	1.4 (2.30:7.1-8.1) ^d		1800,1730
Bis(p-Carboxy-phenoxy) hexane	92-94	573	490	1.1	1.3 (2.30:7.1-8.1) ^d		1800,1735
Isophthalic acid	56-58	484	376	1.9	1.6 (2.43:7.4-8.6) ^d		1800,1735

a Dp based on the Mn of the GPC analysis.

b Determined from ¹H-NMR analysis.

c Characteristic for anhydride bonds.

d Chemical shift in PPM of the methyl terminal and the representative peak of the repeating unit.

Table 2: Characterization of Anhydride Copolymers

	% Aliphatic Units		
	(calculated)	(found)	
CPP:SA	80	80 \pm 2	115,000 \pm 5,000
	70	70 \pm 2	78,000 \pm 4,500
	50	50 \pm 2	32,000 \pm 3,000
Isoph:SA	80	81 \pm 2	112,000 \pm 5,400
	50	49 \pm 1	30,000 \pm 2,900
CPP:DD	80	79 \pm 2	122,000 \pm 6,100
	50	50 \pm 2	31,000 \pm 3,200
CPH:SA	80	79 \pm 2	76,400 \pm 6,800
CPH:DD	80	80 \pm 2	84,900 \pm 5,600
	50	51 \pm 1	36,550 \pm 3,420
CPP:adipic acid	80	82 \pm 2	56,800 \pm 3,800

Copolymers prepared from individually prepared prepolymers in Table 1 were polymerized at 180°C for 90 min. Results are an average of five separate polymerizations.

The following materials and methods were used in the examples:

Chemicals: Sebacic acid, dodecanedioic acid and adipic acid (99%, Aldrich Chemical Co., Milwaukee, Wisconsin) were recrystallized three times from ethanol and 1,4 phenylene dipropionic acid (98%, Aldrich Chemical Co.) was recrystallized from acetone before use. Bis(p-carboxyphenoxy)alkanes were synthesized according to the method described by A. Conix in Macromol. Synth. 2, 95 (1966) and cleaned by extraction with

acetone and ether before use. Isophthalic acid (99%, Aldrich Chemical Co.) was recrystallized from ethanol. All solvents were analytical grade.

Instrumentation: Infrared spectroscopy was performed on a Perkin-Elmer Spectrophotometer Model 1430. Polymeric samples were film cast onto NaCl plates from solutions of the polymer in chloroform. Prepolymer samples were either pressed into KBr pellets or dispersed in nujol onto NaCl plates.

Thermal analysis of polymers was performed on a Perkin Elmer DSC-2 differential Scanning Calorimeter employing a heating rate of 20°C/min. The melting point of prepolymers was determined on a Fisher Johns melting point apparatus. The molecular weights of the polymers and prepolymers were estimated on a Perkin Elmer GPC system consisting of a series 10 pump, a 3600 Data Station with an LKB 214 - rapid spectral detector at 254 nm wavelength. Samples were eluted in chloroform through two Pl Gel columns (Polymer Laboratories; 100 Angstroms and 1000 Angstroms pore sizes) in series at a flow rate of 1.5 ml/min. Polystyrene (Polyscience) was used as the calibration standard. Viscosity of polymers was measured in an Ubbelohde Viscometer (cannon 75) at 23°C using 1, 0.5 and 0.25% w/v polymer in chloroform solution. ¹H-NMR spectra were run on a Bruker AM-250 spectrometer in CHCl₃.

Determination of Prepolymer and Polymer Composition:

The composition of anhydride copolymers is determined

by ¹H-NMR from the ratio of the peaks integration of the copolymer units, for example, the composition of CPP:SA copolymers is determined by ¹H-NMR from the ratio of the peaks integration at 1.3 PPM (8H, Sebacic acid) and 6.9-8.2 PPM (8H, CPP).

General Method for Polymer Synthesis: Polyanhydrides are synthesized by melt polycondensation of mixed anhydrides of diacids and acetic anhydride. Aliphatic mixed anhydride prepolymers are prepared by refluxing the dicarboxylic acid monomers (40 g) in acetic anhydride (200 ml) for 20 to 90 minutes. The excess acetic anhydride is removed to dryness under vacuum at 60°C. The crude prepolymer is recrystallized from dry toluene. The crystals are then immersed in a 1:1 mixture of dry petroleum ether and ethyl ether overnight to extract traces of acetic anhydride and toluene. The pure crystals are dried under vacuum over calcium chloride (75-88% yield). Aromatic monomers are refluxed for 15 to 30 minutes, then the unreacted diacid (5 to 10%) removed by filtration. The solution is concentrated to 150 ml and allowed to crystallize overnight at 0°C. The crystals are then immersed in dry ether (200 ml) overnight with stirring to extract traces of acetic anhydride.

The purified prepolymer is washed with dry ether and dried under vacuum over calcium chloride (42-50% yield). The prepolymers are characterized by GPC, ¹H-NMR and IR analysis.

The amounts of prepolymers (as calculated below) then undergo melt polycondensation as follows: In a typical reaction, CPP prepolymer is mixed with sebacic acid prepolymer in a glass tube (2 x 20 cm) with a side arm equipped with a capillary nitrogen inlet. The tube is immersed in an oil bath at 180°C. After the prepolymers are melted, approximately 1 minute, high vacuum (10-4 mm Hg) is applied through the side arm. The condensation product, acetic anhydride, is collected in an acetone/dry ice trap. During the polymerization, a strong nitrogen sweep with vigorous agitation of the melt is performed for 30 seconds every 15 minutes. The crude polymer is purified by precipitation in dry petroleum ether from a dichloromethane solution. The precipitate is then extracted with anhydrous ether for several hours at room temperature.

Calculations

The calculated amounts of prepolymers to be mixed for the synthesis of an x:y copolymer, where x:y is the molar ratio of copolymer units, is as follows:

$$x \left(\frac{Mn_1}{Dp_1} \right) + y \left(\frac{Mn_2}{Dp_2} \right)$$

grams of prepolymer 1 grams of prepolymer 2

wherein x and y are the molar ratios of prepolymers 1 and 2 in the copolymer,

Mn is the number average molecular weight of the prepolymer as determined by GPC, and

Dp is the number of units in the prepolymer as calculated from:

$$Dp = \frac{Mn-102}{Ru}$$

where 102 is the molecular weight of prepolymer end groups:



and Ru is the molecular weight of the repeating unit in the prepolymer.

For example:

for sebacic acid, the repeating unit is: $-\overset{\text{O}}{\parallel}\text{C}-(\text{CH}_2)_8-\overset{\text{O}}{\parallel}\text{C}-\text{O}-$ Ru=184
and

for CPP, the repeating unit is: $-\overset{\text{O}}{\parallel}\text{C}-\text{C}_6\text{H}_4-\text{O}-(\text{CH}_2)_3-\text{O}-\text{C}_6\text{H}_4-\overset{\text{O}}{\parallel}\text{C}-\text{O}-$ and
Ru=308

Example of the preparation of 1,3 bis(p-carboxyphenoxy) propane:sebacic acid polymers (CPP:SA)

1. Preparation of pure, isolated CPP prepolymers.

A solution of 138 g (1.0 mole) of p-hydroxy benzoic acid and 80 g (2.0 moles) of sodium hydroxide in 400 ml of water is placed in a one liter three-necked flask equipped with a mechanical stirrer, a condenser, and a dropping funnel. 102 g (0.5 mole) of 1,3-dibromopropane is added through the funnel over

a period of one hour, while the contents of the flask are stirred and kept at reflux temperature. The reaction mixture is refluxed for 3.5 hours after the addition of the 1,3-dibromopropane. 20 g (0.5 mole) of solid hydroxide is then added to the mixture, and the mixture refluxed for an additional two hours. Heating is then discontinued and the reaction mixture left standing overnight. The fine, powdery, white precipitate of the disodium salt is isolated by filtration and washed with 200 ml of methanol. The still wet precipitate is dissolved in one liter of distilled water with gentle heating.

The solution is extracted with 200 ml of ether to remove traces of dibromide, acidified with 6N sulfuric acid to a pH less than 2, the diacid isolated by filtration, and the diacid dried for 3 days in a lyophilizer. The yield is 120 g (76%).

40 g of CPP powder is then added to 500 ml boiling acetic anhydride (135°C) under dry N_2 . Reflux is stopped at 25 min and the solution filtered through a filter paper into another one liter round bottom flask. About 10% of the unreacted CPP is separated. The solution is concentrated to 150 ml by evaporation (evaporator with $CaCl_2$ trap). The solution is left at 0°C to crystallize overnight. The crystals are separated by filtration and transferred to 200 ml of anhydrous diethyl ether in an Erlenmeyer flask and allowed to swirl for several hours at room temperature. The white crystals are separated by filtration and dried in a $CaCl_2$ desiccator under vacuum. The CPP prepolymer is

recovered with a yield of 50-60% and has a melting point of 104°-106°C and IR-1810, 1740cm⁻¹.

2. Preparation of pure, isolated SA prepolymers.

30 g of sebacic acid are added to a 120 ml refluxing solution of acetic anhydride under N₂. Reflux is continued for 90 min. Sebacic acid is completely dissolved within 5 min. of reaction. Excess acetic anhydride is evaporated by an evaporator at 60°C. The oily material is left at room temperature to solidify. The solid is dissolved in 15 ml toluene with warming and the solution allowed to crystallize overnight at 0°C. The crystals are separated by filtration and transferred to 200 ml diethyl ether and petroleum ether 1:1 mixture, with stirring for 5 hours. The white crystals are separated by filtration and dried in a CaCl₂ desiccator under vacuum. The sebacic acid has a melting point of 64-65°C and IR-1810, 1740 cm⁻¹.

3. Polymerization of a CPP prepolymer:SA (20:80) prepolymer mixture.

CPP prepolymer (0.80 g, 2.0 mmole) is mixed with sebacic acid prepolymer (1.64 g, 8.0 mmole) in a glass tube (2 x 20 cm) (Kimax) with a side arm equipped with a capillary nitrogen inlet. The tube is immersed in an oil bath at 180±1°C. After the prepolymers are melted, approximately 1 min, high vacuum (less than 10⁻² mm Hg) is applied through the side arm. The condensation product, acetic anhydride, is collected in an acetone/dry ice trap. During the polymerization, a strong

1278141

- 14 -

nitrogen sweep with vigorous agitation of the melt is performed for 30 seconds every 15 minutes. After 90 minutes, the polymer is removed under nitrogen to a dry glass vial. The crude polymer is ground to small particles using a micromill at low temp. (H_2O /ice cooling). The yield in this example is greater than 90%.

4. Purification of the CPP:SA (20:80) polymer.

The crude polymer is purified by precipitation in dry petroleum ether from dichloromethane solution as follows: 20 g of crude polymer is dissolved in 100 ml dichloromethane (analytical grade) at room temp. with magnetic stirring for about 20 min. The solution is pressure filtered through a 2 micron filter and dripped into 600 ml of dry petroleum ether (analytical grade) stirred with mechanical stirrer. A white fiber-like precipitate is obtained. After filtration, the precipitate is extracted with anhydrous ether (200 ml) for several hours at room temp. The ether is decanted out and the ether residue is removed by anhydrous evaporator under high vacuum (oil pump). The CPP:SA polymer has a melting point of 68-70°C, molecular weight: $M_w = 118,000$, $M_n = 22,400$ (by GPC analysis), composition of CPP:SA (21:79) (by 1H -NMR), and intrinsic viscosity of $[\eta] = 0.92$ dl/g (chloroform, 23°C).

5. Polymerization of a CPP:SA (50:50) copolymer.

CPP prepolymer (2.0 g, 5 mmole) is mixed with sebacic acid prepolymer (1.15 g, 5 mmole) and polymerized at 180°C under

1278141

- 15 -

high vacuum (10 mm Hg) for 90 min using the same method as above. The CPP:SA (50:50) polymer has a melting point of 152°C, molecular weight: $M_w = 38,200$, $M_n = 17,900$ (by GPC analysis), intrinsic viscosity of $[\eta] = \text{dl/g}$ (chloroform 23°C), and composition of CPP:SA (50:50) (by $^1\text{H-NMR}$).

Examples of the preparation of 1,3 bis(p-carboxyphenoxy) propane: dodecanedioic acid polymers (CPP:DD)

1. Preparation of pure, isolated CPP prepolymer is as previously described.

2. Preparation of dodecanedioic acid prepolymer.

50 g of dodecanedioic acid are added to 250 ml boiling acetic anhydride under dry argon. Reflux is continued for 60 minutes. Excess acetic anhydride is removed by an evaporator at 60°C to yield a white solid. The solid is dissolved in 20 ml dry toluene with gentle warming and the solution is allowed to crystallize overnight at 0°C. The crystals are separated by filtration and extracted with 200 ml methyl ether and petroleum ether 1:1 mixture for 5 hours at room temperature. The pure crystals were dried under vacuum over calcium chloride to yield 47 g prepolymer with a melting point of 76°C and IR-1810, 1740 cm^{-1} .

3. Preparation of CPP:DD (20:80) copolymers.

CPP prepolymer (0.8 g, 2.0 mmole) is mixed with dodecanedioic acid prepolymer (2.0 g, 8.0 mmole) and polymerized at 180° for 90 min under high vacuum (less than 10⁻² mm Hg). The

1278141

- 16 -

polymer is purified as previously described. The polymer has a melting point of 75-76°C, molecular weight: $M_w = 125,900$, $M_n = 26,850$ (by GPC analysis); a composition of CPP:DD (20:80) (by ¹H-NMR) and intrinsic viscosity of $[\eta] = 1.16$ dl/g (chloroform, 23°C).

4. Polymerization of CPP:DD (50:50) copolymer.

CPP prepolymer (1.6 g, 4.0 mmole) is mixed with DD prepolymer (1.0 g, 4.0 mmole) and polymerized at 180°C for 90 min under high vacuum (10-2 mm Hg). The polymer is purified as described in the first example. The polymer has a melting point of 158-160°C, molecular weight: $M_w = 44,800$, $M_n = 16,850$, composition of CPP:DD (51:49) (by ¹H-NMR), and intrinsic viscosity of $[\eta] = 0.76$ dl/g.

5. Polymerization of CPP:DD (65:35) copolymer.

CPP prepolymer (2.6 g, 6.5 mmole) is mixed with DD prepolymer (0.88 g, 3.5 mmole) and polymerized at 180°C for 90 min under high vacuum (less than 10-2 mm Hg). The polymer is purified as previously described. The polymer has a melting point of 194 to 195°C, molecular weight: $M_w = 32,000$, $M_n = 10,100$, composition of CPP:DD (64:36), and intrinsic viscosity of $[\eta] = 0.64$ dl/g.

Example of the preparation of phenylene dipropionic acid copolymer with sebacic acid and 1,3 bis(*p*-carboxyphenoxy)propane

1. Sebacic acid and CPP prepolymers are prepared as previously described.

1278141

17 -

2. Preparation of phenylene dipropionic acid prepolymer.

60 g of PDP are added to 500 ml boiling acetic anhydride under dry argon. Reflux is continued for 60 minutes. Excess acetic anhydride is removed by an evaporator at 60°C to yield a white solid. The solid is recrystallized from 30 ml toluene at 0°C overnight. The crystals are then extracted with 200 ml of a diethyl ether and petroleum ether (1:1) mixture for 3 hours at room temperature. The pure crystals are dried under vacuum over calcium chloride to yield 61 g prepolymer with a melting point of 74-75°C and IR-1800, 1735 cm⁻¹.

3. Polymerization of PDP:SA (20:80) copolymer.

PDP prepolymer (0.91 g, 4 mmole) is mixed with SA prepolymer (3.28 g, 16 mmole) and polymerized at 180°C under high vacuum (less than 10⁻² mm Hg) for 90 min. The polymer is purified as previously described. The polymer has a melting point of 56-59°C, molecular weight: Mw = 84,920, Mn = 15,650, intrinsic viscosity of [η] = 0.68 dl/g, and composition of PDP:SA (20:80) (by ¹H-NMR).

4. Preparation of PDP:SA (50:50) copolymer.

PDP prepolymer (1.14 g, 5 mmole) is mixed with SA prepolymer (1.0 g, 5 mmole) and polymerized at 180° under high vacuum (less than 10⁻² mm Hg) for 90 min. The polymer is purified as previously described. The polymer has a melting point of 75-77°C, molecular weight: Mw = 58,900, Mn = 12,400,

1278141

- 18 -

Intrinsic viscosity of $[\eta] = 0.64$ dl/g, and composition of PDP:SA (49:51) (by $^1\text{H-NMR}$).

5. Preparation of PDP:CPP (50:50) copolymer.

PDP prepolymer (1.14 g, 5 mmole) is mixed with CPP prepolymer (2.0 g, 5 mmole) and polymerized at 180° under high vacuum (less than 10^{-2} mm Hg) for 90 min. The polymer is purified as previously described. The polymer has a melting point of $158-160^\circ\text{C}$, molecular weight: $M_w = 34,400$, $M_n = 10,100$, intrinsic viscosity of $[\eta] = 0.63$ dl/g, and composition of PDP:CPP (48:52) (by $^1\text{H-NMR}$).

6. Preparation of CPP:PDP:SA (50:25:25) copolymer.

CPP Prepolymer (2.0 g, 5 mmole) is mixed with PDP prepolymer (0.57 g, 2.5 mmole) and SA prepolymer (0.5 g, 2.5 mmole) and polymerized at 180° under high vacuum (less than 10^{-2} mm Hg) for 90 min. The polymer is purified as previously described. The polymer has a melting point of $142-144^\circ\text{C}$, molecular weight: $M_w = 28,900$, $M_n = 12,400$, intrinsic viscosity of $[\eta] = 0.58$ dl/g, and composition of CPP:PDP:SA (48:27:25) (by $^1\text{H-NMR}$).

Preparation of mixed prepolymer by the prior method (Fig. 2):

The yield and reproducibility of the anhydride copolymers produced by the prior art method were compared with the yield and reproducibility of anhydride copolymers produced by the method of the present invention as follows.

1278141

- 19 -

A calculated amount of the diacids (total of 50 g) was refluxed in acetic anhydride (500 ml) for 20 min. Unreacted material was removed by filtration, and the solution concentrated to 100 ml by vacuum evaporation. The solution was then left at -20°C for 3 weeks to crystallize. The yield and composition of the precipitate for mixed prepolymers of CPP:SA (20:80), CPP:SA (50:50), isoph:SA (20:80), and isoph:SA (50:50) are summarized in table 3.

In a typical reaction, 10.0 g (0.0316 mole) of CPP were mixed with 25.6 g (0.126 mole) sebacic acid and refluxed in 500 ml acetic anhydride for 30 min. The unreacted material (0.6 g, identified as CPP) is removed by filtration and the solution concentrated to 100 ml by vacuum evaporation. The solution is allowed to crystallize for 3 weeks at -20°C . The precipitate is separated by filtration and washed with anhydrous ether (100 ml) to yield 14.8 g of mixed prepolymers with a composition of CPP:SA in a ratio of 35:65 (calculated 20:80), as determined by $^1\text{H-NMR}$, IR-1800, 1740 cm^{-1} .

1278141

- 20 -

Table 3: Characterization of mixed prepolymers

<u>Prepolymer composition*</u>	<u>(%) aliphatic monomer</u>		<u>yield (%)</u>
	<u>calculated</u>	<u>found</u>	
CPP:SA (20:80)	80	65	15
	80	50	21
	80	72	25
CPP:SA (50:50)	50	30	25
	50	45	34
	50	32	24
Isoph:SA (20:80)	80	72	25
	80	65	33
	80	75	28
Isoph:SA (50:50)	50	65	37
	50	48	36
	50	58	31

Prepolymers prepared by a reaction between a calculated amount of diacids and acetic anhydride for 30 min.

*Determined from ¹H-NMR Spectrum

The preceding examples demonstrate the usefulness of the pure, isolated prepolymers in the rapid preparation of a variety of polymer compositions as well as the high yield and reproducibility of the disclosed method.

High molecular weight polyanhydrides are desirable in biomedical applications, for example, in controlled release devices because of their superior physico-mechanical properties.

1278141

-2/-

These properties include film forming properties and relatively high tensile strength. The critical factors affecting polymer molecular weight are: monomer purity, temperature of reaction, time of reaction, and the removal of the condensation product.

Very high molecular weight polymers are achieved by reacting pure isolated prepolymers, prepared in accordance with this invention, under optimized conditions, for example, at a temperature of 180°C, under 10⁻⁴ mm Hg vacuum with a CO₂/Acetone trap, as described in co-pending Canadian Application, Serial No: 542,618 filed July 21st, 1987 by Abraham J. Domb and Robert S. Langer entitled "Synthesis and Application of High Molecular Weight Polyanhydrides".

Using the prior art method, with an unisolated prepolymer mixture, p(CPP:SA)(1:4) has a molecular weight of 12,030. Reacting pure, individually prepared prepolymers yields p(CPP:SA)(1:4) with a molecular weight of 116,800 and an intrinsic viscosity of $[\eta] = 0.92$. Addition of a catalyst to the pure, individually prepared prepolymer mixture can further increase molecular weights, as described in U.S.S.N. 892,809 filed August 1st, 1986.

The method of preparing very pure anhydride copolymers from individually synthesized and purified diacid prepolymers has been described with reference to specific embodiments.

Variations and modifications of these embodiments and preparation conditions will be obvious to those skilled

A

- 22 -

~~1278141~~

in the art of chemical synthesis. Such modifications and variations are intended to be included within the scope of the appended claims.

A

Claims:

1. A method for preparing highly pure anhydride copolymers comprising:

selecting at least two diacids, wherein said diacids are synthesized and purified individually,

reacting the individual diacids and acetic anhydride separately to form prepolymers,

separately recrystallizing the individual prepolymers formed by the reaction of the acetic anhydride with said diacids,

combining said individual prepolymers at a specific ratio, and

polymerizing said prepolymer mixture to form copolymers.

2. The method of claim 1 wherein the diacids are selected from the group consisting of sebacic acid, bis(p-carboxyphenoxy)propane, bis(p-carboxyphenoxy)hexane, isophthalic acid, 1,4 phenylene dipropionic acid, adipic acid and dodecanedioic acid.

3. A highly pure anhydride copolymer comprising monomers selected from the group consisting of aliphatic and aromatic diacids, wherein the copolymers are polymerized from a mixture of a specific ratio of prepolymers of the individual monomers separately reacted with acetic anhydride.

4. The anhydride copolymer of claim 3 wherein said prepolymers are formed by


separately refluxing individual monomers with acetic anhydride to form individual prepolymers,
removing the excess acetic anhydride, and
recrystallizing the prepolymers.

5. The anhydride copolymer of claim 3 wherein the copolymers are further purified by recrystallization.

6. The anhydride copolymer of claim 3 wherein said copolymers are polymerized from said prepolymers in the presence of a catalyst.



FIG. 1




ABRAHAM J. DOMB
ROBERT S. LANGER
BY: *Wade & Company*


1278141

2-1

FIG. 2



PREPOLYMER MIXTURE
OF UNDEFINED
COMPOSITION



Q ≠ X, R ≠ Y

n = degree of polymerization

ABRAHAM J. DOMB
ROBERT S. LANGER
BY: Ciba Ltd Company

1718721

2-2